

TRAFFIC BARRIER ECHO PLUS



Technical Information

Tested to withstand force of (Joule)	Top 2.500 J Bottom 10.000 J
Vehicle weight equivalent (kg)	5.000 kg
Vehicle equivalent speed (km/h)	7,2 km/h
Equivalent angle of impact	90°
Deflection zone	250 mm


Material Properties

Chemical Resistance	high- ISO/TR 10358
Temperature Range	-10° up to + 50°

Environment

CO2 / m ³	18,5 kg
Recyclability	100%

Other



Art. No.	Description	Width	Weight
DFVB+E	End post	600 mm	17,0 kg
DFVB+M	Middle post	1000 mm	17,2 kg
DFVB+M+W90L	Echo to Delta corner post 90° left	600 mm	14,8 kg
DFVB+M+W90R	Echo to Delta corner post 90° right	600 mm	14,8 kg
DFVB+H1	Beam set: 3 beams length 1534 mm Ø 63 mm and 1 pipe length 930 mm Ø 160 mm		7,2 kg
DFVB+HI	Beam set: 3 beams individual length 1000 - 1533 mm Ø 63 mm and 1 pipe individual length		5,8 kg / m

Article description Endpost
Item number DFVB+E
EAN 4250912311244
Customs tariff number 39269097




Height 1200 mm
Width 225 mm
Length 650 mm
Diameter 200 mm / 110 mm
Deflection zone 250 mm

Net weight 17 kg
Material Polyethylene
Color Yellow (like RAL 1018 traffic yellow) / black
Indoor use Yes
Outdoor use Yes
Boreholes 4
Fixing The fixing material is included. The Fischer ULTRACUT FBS II is the perfect powerful concrete screw for top installation comfort.
Fixing dimensions M12X85



Material Properties

Chemical Resistance high- ISO/TR 10358
Temperature Range -10° up to + 50°





Environment

CO₂ / m³ 18,5 kg
Recyclability 100%

Other

Standard Warranty 5 years




Article description	Middle post
Item number	DFVB+M
EAN	4250912311251
Customs tariff number	39269097
Height	1200 mm
Width	225 mm
Length	1000 mm
Diameter	200 mm / 110 mm
Deflection zone	250 mm
Net weight	17,2 kg
Material	Polyethylene
Color	Yellow (like RAL 1018 traffic yellow) / black
Indoor use	Yes
Outdoor use	Yes
Boreholes	4
Fixing	The fixing material is included. The Fischer ULTRACUT FBS II is the perfect powerful concrete screw for top installation comfort.
Fixing dimensions	M12X85



Material Properties

Chemical Resistance	high- ISO/TR 10358
Temperature Range	-10° up to + 50°





Environment

CO ₂ / m ³	18,5 kg
Recyclability	100%

Other

Standard Warranty 5 years




Article description	Echo to Delta corner post 90° left
Item number	DFVB+M+W90L
EAN	4250912395534
Customs tariff number	39269097
Height	1200 mm
Width	225 mm
Length	600 mm
Diameter	200 mm / 110 mm
Deflection zone	250 mm
Net weight	14,8 kg
Material	Polyethylene
Color	Yellow (like RAL 1018 traffic yellow) / black
Indoor use	Yes
Outdoor use	Yes
Boreholes	4
Fixing	The fixing material is included. The Fischer ULTRACUT FBS II is the perfect powerful concrete screw for top installation comfort.
Fixing dimensions	M12X85



Material Properties

Chemical Resistance	high- ISO/TR 10358
Temperature Range	-10° up to + 50°





Environment

CO ₂ / m ³	18,5 kg
Recyclability	100%

Other

Standard Warranty 5 years




Article description	Echo to Delta corner post 90° right
Item number	DFVB+M+W90R
EAN	4250912395541
Customs tariff number	39269097
Height	1200 mm
Width	225 mm
Length	600 mm
Diameter	200 mm / 110 mm
Deflection zone	250 mm
Net weight	14,8 kg
Material	Polyethylene
Color	Yellow (like RAL 1018 traffic yellow) / black
Indoor use	Yes
Outdoor use	Yes
Boreholes	4
Fixing	The fixing material is included. The Fischer ULTRACUT FBS II is the perfect powerful concrete screw for top installation comfort.
Fixing dimensions	M12X85



Material Properties

Chemical Resistance	high- ISO/TR 10358
Temperature Range	-10° up to + 50°





Environment

CO ₂ / m ³	18,5 kg
Recyclability	100%

Other

Standard Warranty 5 years



Article description	Beam set
Item number	DFVB+H1
EAN	4250912311268
Customs tariff number	39269097




Height	
Width	
Length	1534 mm
Diameter	160 mm
Deflection zone	See post

Net weight	7,2 kg / m
Material	Polyethylene
Color	Yellow (like RAL 1018 traffic yellow)
Indoor use	Yes
Outdoor use	Yes
Boreholes	
Fixing	



Material Properties

Chemical Resistance	high- ISO/TR 10358
Temperature Range	-10° up to + 50°





Environment

CO ₂ / m ³	18,5 kg
Recyclability	100%

Other

Standard Warranty 5 years



Article description	Beam set individual length
Item number	DFVB+HI
EAN	4250912311275
Customs tariff number	39269097



Height	
Width	
Length	individual length 1000- 1533 mm
Diameter	160 mm
Deflection zone	See post

Net weight	5,8 kg / m
Material	Polyethylene
Color	Yellow (like RAL 1018 traffic yellow)
Indoor use	Yes
Outdoor use	Yes
Boreholes	
Fixing	



Material Properties

Chemical Resistance	high- ISO/TR 10358
Temperature Range	-10° up to + 50°



Environment

CO ₂ / m ³	18,5 kg
Recyclability	100%

Other

Standard Warranty 5 years

